


DECLARATION ON FRENCH VOC REGULATION DEVL 1104875A

In compliance with the French VOC Regulation DEVL 1104875A, BN declares hereby that their wallcovering products are tested and have their correct emission label.

Emissions have been tested according to the requirements of the regulation on the labelling of construction or wall or floor coating and paints and varnishes on emissions of volatile organic compounds, based on French regulation as published on 25 March 2011 (décret DEVL1101903D) and on 13 May 2011 (arrêté DEVL 1104875A). The preparation of the samples, the tests and evaluations has been made according to the requirements of the standards ISO 16000 -9, -6 and -3 in their latest versions.

The results of tests in accordance with the recommendations of the regulation can be summarized as follows: sample material fulfills the requirements for class "A+" after 28 days.



**Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A + (très faibles émissions) à C (fortes émissions).*

Signature: E. Post-Weidmann

Title: R&D and Studio Manager

References:

MAIC-2012-2690: ISO 16000 Wallcovering 610 ± 50 gr/m² : TVOC(28d) = 256 µg/m³ = A+
MAIC-2012-2339: ISO 16000 Wallcovering 450 ± 50 gr/m² : TVOC(28d) = 501 µg/m³ = A+
MAIC-2012-0508: ISO 16000 Wallcovering 215 ± 20 gr/m² : TVOC(28d) = < 1 µg/m³ = A+

Last revision date: 29-09-2020

BN Walls
1271 AH Huizen
The Netherlands

Tel: + 31 35 524 84 39
Mail: info@bnwalls.com
Web: bnwalls.com